





3" Cast Iron Wafer Check Valve Dual Plate

Dual plate wafer check valve with EPDM seat, epoxy coated cast iron body, and nickel plated ductile iron discs.



VIEW K-K



Size	3"					
Mechanism Du	Dual Swing Plates (Spring Loaded)					
Connections	Flange / ANSI 125/150					
Pressure Rating	150 PSI					
Length (End to Er	nd) 2.5"					
Weight	7 lbs					

Features

- Compact wafer design can be installed in tight spaces
- · Can be mounted horizontally or vertically
- Fusion-Bonded Epoxy Coating

Materials List

No.	Part Name	Material			
1	Body	Cast Iron			
2	Washer	PTFE			
3	Lower Shaft	SS410			
4	Spring	SS304			
5	Disc	Ductile Iron			
6	Upper Shaft	SS410			
7	Seal Washer	EPDM			
8	Thread Plug	Carbon Steel			
9	Seat	EPDM			

Dimensions

Size	Α		В		С		D		G	
in.	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
2"	4½	105	2 %16	65	1 ¹¹ ⁄16	43	2 ⁵ ⁄16	59	¹³ /16	20
3"	5¾	137	3 ¹¹ /16	94	2 ½	64	31⁄2	88	3	76
4"	6%	175	45/8	117	2 ½	64	4 ⁵ ⁄16	110	3 ¹³ ⁄16	97
6"	8 ³ ⁄ ₄	222	6 ¹¹ / ₁₆	170	3	76	6 ¹¹ / ₁₆	170	5 ¹¹ /16	145
8"	11	279	8 ¹³ ⁄16	224	31⁄2	89	8 ¾	222	75/8	193
10"	13¾	340	101/16	265	4½	114	10 %	264	9 ½16	239
12"	161/8	410	12 ³ / ₁₆	310	4½	114	12 ¾16	310	10 ¾16	259

IrrigationKing.com | 9995 SW Avery St, Tualatin, OR 97062 | (844) 259-0640 | support@irrigationking.com

IrrigationKing product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact IrrigationKing. IrrigationKing reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on IrrigationKing products previously or subsequently sold.