



## 2" Hydrocyclone Sand Separator



<b>Inlet/Outlet</b>	2" Flange
<b>Connection</b>	ANSI 150
<b>Min. Flow</b>	65 GPM
<b>Max. Flow</b>	110 GPM
<b>Max. Working Pressure</b>	110 PSI

### RKHC225 – 2"


PRESSURE LOSS CURVE



### Dimensions

Size	A		B		C		D		E	
	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
2"	37	940	31.8	808	8.1	206	5.9	151	15.6	395
3"	39	990	34.2	868	9.8	248	6.9	175	19	482

## 2" Hydrocyclone Sand Separator



### Materials List

No.	Part Name	Material
1	Body	Glass Reinforced PA
2	Bush	Brass
3	Cone	Glass Reinforced PP
4	Cone O-Ring Small	NBR
5	Cone Main O-Ring	NBR
6	Locking Pin	SS-304
7	Collection Tank	Glass Reinforced PP
8	Collection Tank O-Ring	NBR
9	Collection Tank Gasket	NBR
10	Collection Tank Cap	Glass Reinforced PP
11	Clamp	SS-304
12	Nut (10mm)	SS-304
13	Bold (10x50)	SS-304
14	Washer (10mm)	SS-304
15	Ball Valve Rubber Washer	NBR
16	Slip On Flange	Glass Reinforced PP
17	Slip On Socket	Glass Reinforced PP
18	Flange Rubber Washer	NBR
19	Damper	POM
20	Cone Sleeve	TPU
22	1" Ball Valve	PVC